STARTRANS BUS | Candidate II Transit





FORESTRIVERBUS.COM



PASSENGER COMFORT AND CONVENIENCE.

The Candidate II Transit is a compact shuttle bus and a great alternative to a raised-roof van. Its narrow body, standard features, and super starview window for enhanced visibility make it driver-friendly. Designed for passenger comfort and convenience, it's a versatile and reliable option.



transporting what matters.



12 passenger w/rear luggage + driver and copilot





13 passenger + driver and copilot



14 passenger + driver



14 passenger w/rear luggage + driver



Specifications.

Length	22'	24'
Wheelbase	138"	156"
Chassis	Ford Transit	Ford Transit
Engine	3.7L Gas	3.7L Gas
GVWR	10,360 lb.	10,360 lb.
Passenger Capacity*	14	16
Overall Width	84"	84"
Overall Height	110"	110"
Interior Width	81"	81 "
Interior Height	76"	76"
Ground to Int. Floor	29"	29"
Ground to 1st Step	ון "	11 "
Step Riser	9"	9"
Step Tread	9.5"	9.5"
Step Width	35.75"	35.75"
Entry Door Clear Opening w/One Grab Rail	31"	31 "
Entry Door Clear Opening w/Two Grab Rails	30"	30"

*All passenger capacities are references and subject to final weight analysis

transporting what matters.



Standard Exterior Feature Highlights

- Fully welded aluminized steel cage construction with laminated sidewall structure meeting all applicable FMVSS requirements
- 10" ground to first step at entry door
- 109" overall exterior height (depending on options)
- "Super Starview" drivers visibility window in front of entry door
- Electric actuated passenger entry door with full length glass
- 36" high x 36" wide high upper double T-Slider tempered safety glass windows with climate control tint
- Black powder coated steel rear bumper
- Rear mud flaps
- Pre-painted white galvanized steel sidewalls and skirts
- Fiberglass front and rear cap
- One-piece seamless FRP (fiberglass reinforced plastic) roof
- Breakaway rearview mirrors with built-in convex
- Drip rail over all windows and passenger door openings
- LED front and rear marker lights
- LED stop, tail, and turn signal lights including back-up lights

Standard Interior Feature Highlights

- 81" interior width
- 76" interior floor to ceiling height
- Welded floor and wall seat track for flexible seating
- Black slip resistant floor covering
- 5/8" plywood flooring
- Ceiling and rear wall fabric for sound abatement
- FRP (fiberglass reinforced plastic) sidewalls for ease of cleaning
- White step nosing at passenger entry door
- 1.25" left hand vertical passenger assist rail at entry door
- Intermotive FlexTech Electrical System
- LED Entry door step well lights
- LED driver and passenger area lighting
- Non-retractable seat belts



Popular Option

• Stainless steel wheel inserts

racks, rear luggage area)

• Passenger area rear heat

Padded vinyl or cloth walls

• Audio and video systems

ADA and FMVSS compliant

and air conditioning

Passenger grab rails

and ceiling

Bonded windows

wheel chair lifts and

securement systems

(overhead luggage racks with

reading lights, interior luggage

• Luggage Storage areas

Rear emergency door

with window(s)

Highlights

Learn more at forestriverbus.com/ StarTrans/ Candidate-II-Transit

© 2025 Forest River Bus, LLC. All information contained on this website is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions, and Forest River Bus reserves the right to make changes without notice, including prices, colors, materials, equipment, and specifications, as well as the addition of new models and the discontinuance of models shown on this website. Therefore, please consult with your Forest River Bus dealer and confirm the existence of any material, design, or specifications before your purchase.

transporting what matters.